

Creation Date 04-Jul-2017

Revision Date 09-Feb-2024

Revision Number 6

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **Aliquat® 336TG**  
Cat No. : **463570000; 463570010; 463570025; 463572500**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

E-mail address [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567**

#### Physical hazards

Based on available data, the classification criteria are not met

#### Health hazards

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

Acute oral toxicity  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation  
Reproductive Toxicity  
Specific target organ toxicity - (repeated exposure)

Category 3 (H301)  
Category 1 C (H314)  
Category 1 (H318)  
Category 1B (H360FD)  
Category 2 (H373)

## Environmental hazards

Acute aquatic toxicity  
Chronic aquatic toxicity

Category 1 (H400)  
Category 1 (H410)

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H301 - Toxic if swallowed  
H314 - Causes severe skin burns and eye damage  
H360FD - May damage fertility. May damage the unborn child  
H373 - May cause damage to organs through prolonged or repeated exposure  
H410 - Very toxic to aquatic life with long lasting effects  
Combustible liquid

## Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

## Additional EU labelling

Restricted to professional users

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	EEC No. 264-120-7	>75	Skin Corr. 1C (H314) Eye Dam. 1 (H318)

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

				Acute Tox. 3 (H301) STOT RE 3 (H373) Repr. 1B (H360FD) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)
1-Octanol	111-87-5	EEC No. 203-917-6	1-7	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)
1-Decanol	112-30-1	EEC No. 203-956-9	0-7	Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)
Amines, tri-C8-10-alkyl	68814-95-9	EEC No. 272-347-8	0-3	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Repr. 1B (H360FD) STOT RE 1 (H372) Aquatic Chronic 2 (H411)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	-	10	-

Components	Reach Registration Number
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	01-2119982988-08

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately.
<b>Inhalation</b>	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

## SECTION 5: FIREFIGHTING MEASURES

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## **5.1. Extinguishing media**

### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### **Extinguishing media which must not be used for safety reasons**

No information available.

## **5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Combustible material. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

None under normal use conditions.

## **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### **6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### **7.2. Conditions for safe storage, including any incompatibilities**

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 6.1C

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s):

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
1-Octanol 111-87-5 ( 1-7 )			DNEL = 190µg/cm <sup>2</sup>	DNEL = 50mg/kg bw/day
1-Decanol 112-30-1 ( 0-7 )			DNEL = 190µg/cm <sup>2</sup>	DNEL = 250mg/kg bw/day
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )				DNEL = 0.17mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides 63393-96-4 ( >75 )				DNEL = 0.42mg/m <sup>3</sup>
1-Octanol 111-87-5 ( 1-7 )			DNEL = 106mg/m <sup>3</sup>	DNEL = 176mg/m <sup>3</sup>
1-Decanol 112-30-1 ( 0-7 )			DNEL = 129mg/m <sup>3</sup>	DNEL = 176mg/m <sup>3</sup>
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )				DNEL = 0.12mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides 63393-96-4 ( >75 )	PNEC = 0.15µg/L	PNEC = 0.63µg/kg sediment dw	PNEC = 1.5µg/L	PNEC = 0.44mg/L	PNEC = 38ng/kg soil dw
1-Octanol 111-87-5 ( 1-7 )	PNEC = 0.1mg/L	PNEC = 1.6mg/kg sediment dw			PNEC = 0.26mg/kg soil dw
1-Decanol	PNEC = 0.021mg/L	PNEC = 3.2mg/kg			PNEC = 0.63mg/kg

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

112-30-1 ( 0-7 )		sediment dw			soil dw
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )	PNEC = 0.032mg/L		PNEC = 0.032mg/L	PNEC = 100mg/L	PNEC = 0.78mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides 63393-96-4 ( >75 )	PNEC = 15ng/L	PNEC = 63ng/kg sediment dw	PNEC = 0.15µg/L	PNEC = 1.66mg/kg food	
1-Octanol 111-87-5 ( 1-7 )	PNEC = 0.01mg/L	PNEC = 0.16mg/kg sediment dw			
1-Decanol 112-30-1 ( 0-7 )	PNEC = 0.0021mg/L	PNEC = 0.32mg/kg sediment dw			
Amines, tri-C8-10-alkyl 68814-95-9 ( 0-3 )	PNEC = 0.0032mg/L				

## 8.2. Exposure controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber Neoprene Natural rubber PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid	
<b>Appearance</b>	Yellow	
<b>Odor</b>	Slight: Ammonia-like	
<b>Odor Threshold</b>	No data available	
<b>Melting Point/Range</b>	No data available	
<b>Softening Point</b>	No data available	
<b>Boiling Point/Range</b>	No information available	
<b>Flammability (liquid)</b>	Combustible liquid	On basis of test data
<b>Flammability (solid,gas)</b>	Not applicable	Liquid
<b>Explosion Limits</b>	No data available	
<b>Flash Point</b>	77 °C / 170.6 °F	<b>Method -</b> No information available
<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>pH</b>	No information available	
<b>Viscosity</b>	1500 mPa.s @ 30°C	
<b>Water Solubility</b>	Insoluble	
<b>Solubility in other solvents</b>	No information available	
<b>Partition Coefficient (n-octanol/water)</b>		
<b>Component</b>	<b>log Pow</b>	
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	6.13	
1-Octanol	2.8	
1-Decanol	4.5	
Amines, tri-C8-10-alkyl	6.2	
<b>Vapor Pressure</b>	No data available	
<b>Density / Specific Gravity</b>	0.89	
<b>Bulk Density</b>	Not applicable	Liquid
<b>Vapor Density</b>	No data available	(Air = 1.0)
<b>Particle characteristics</b>	Not applicable (liquid)	

### 9.2. Other information

**Explosive Properties** explosive air/vapour mixtures possible

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity** None known, based on information available

**10.2. Chemical stability** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.  
**Hazardous Reactions** None under normal processing.

**10.4. Conditions to avoid** Keep away from open flames, hot surfaces and sources of ignition.

**10.5. Incompatible materials** None known.

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## 10.6. Hazardous decomposition products

None under normal use conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Category 3

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	300-2000 mg/kg 223 mg/kg (Rat)	-	-
1-Octanol	LD50 > 3200 mg/kg ( Rat )	LD50 > 5 g/kg ( Rabbit )	-
1-Decanol	LD50 = 4720 mg/kg ( Rat )	LD50 = 3560 mg/kg ( Rabbit )	-
Amines, tri-C8-10-alkyl	LD50 = 5600 mg/kg ( Rat )	-	-

##### (b) skin corrosion/irritation;

Category 1 C

##### (c) serious eye damage/irritation;

Category 1

##### (d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

##### (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

##### (f) carcinogenicity;

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

##### (g) reproductive toxicity;

Reproductive Effects

Category 1B

May impair fertility. May cause harm to the unborn child.

##### (h) STOT-single exposure;

Based on available data, the classification criteria are not met

##### (i) STOT-repeated exposure;

Category 2

Target Organs

Heart.

##### (j) aspiration hazard;

Based on available data, the classification criteria are not met

#### Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.



# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## 11.2. Information on other hazards

### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	LC50: 0.1-1 mg/L 96h	EC50: 0.16 mg/L 48h (Daphnia magna)	
1-Octanol	LC50: 17.68 mg/L, 96h static (Oncorhynchus mykiss) LC50: 11.4 - 12.9 mg/L, 96h flow-through (Pimephales promelas)		
1-Decanol	Pimephales promelas: LC50=2.2-2.5 mg/L 96h	EC50: 11 mg/L, 24h (Daphnia magna) EC50: 3 mg/L, 48h (Daphnia magna)	

Component	Microtox	M-Factor
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides		10
1-Octanol	EC50 = 32.7 - 51.1 mg/L 48 h EC50 = 3.4 mg/L 5 min EC50 = 3.71 mg/L 30 min EC50 = 4.73 mg/L 15 min	
1-Decanol	EC50 = 1.31 mg/L 5 min EC50 = 1.47 mg/L 30 min EC50 = 8.83 mg/L 48 h	

### 12.2. Persistence and degradability

#### Persistence

May persist.

#### Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

### 12.3. Bioaccumulative potential

Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	6.13	No data available
1-Octanol	2.8	No data available
1-Decanol	4.5	No data available
Amines, tri-C8-10-alkyl	6.2	No data available

### 12.4. Mobility in soil

Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely mobile in the environment due its low water solubility. Is not likely mobile in the environment due its low water solubility and propensity to bind to soil particles

### 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

### 12.6. Endocrine disrupting properties

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

**14.1. UN number** UN2922  
**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.  
**Technical Shipping Name** Quaternary alkyl ammonium salts  
**14.3. Transport hazard class(es)** 8  
**Subsidiary Hazard Class** 6.1  
**14.4. Packing group** III

### ADR

**14.1. UN number** UN2922  
**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.  
**Technical Shipping Name** Quaternary alkyl ammonium salts  
**14.3. Transport hazard class(es)** 8  
**Subsidiary Hazard Class** 6.1  
**14.4. Packing group** III

### IATA

**14.1. UN number** UN2922  
**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.  
**Technical Shipping Name** Quaternary alkyl ammonium salts  
**14.3. Transport hazard class(es)** 8  
**Subsidiary Hazard Class** 6.1  
**14.4. Packing group** III

**14.5. Environmental hazards** Dangerous for the environment  
Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	264-120-7	-	-	X	X	KE-30035	-	-
1-Octanol	111-87-5	203-917-6	-	-	X	X	KE-26656	X	X
1-Decanol	112-30-1	203-956-9	-	-	X	X	KE-09483	X	X
Amines, tri-C8-10-alkyl	68814-95-9	272-347-8	-	-	X	X	-	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	X	ACTIVE	X	-	X	X	X
1-Octanol	111-87-5	X	ACTIVE	X	-	X	X	X
1-Decanol	112-30-1	X	ACTIVE	X	-	X	X	X
Amines, tri-C8-10-alkyl	68814-95-9	X	ACTIVE	X	-	X	-	-

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	-	-	-
1-Octanol	111-87-5	-	-	-
1-Decanol	112-30-1	-	-	-
Amines, tri-C8-10-alkyl	68814-95-9	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Quaternary ammonium compounds, tri-C8-10-alkylmethyl, chlorides	63393-96-4	Not applicable	Not applicable
1-Octanol	111-87-5	Not applicable	Not applicable
1-Decanol	112-30-1	Not applicable	Not applicable
Amines, tri-C8-10-alkyl	68814-95-9	Not applicable	Not applicable

#### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
1-Octanol	WGK1	
1-Decanol	WGK1	

Component	France - INRS (Tables of occupational diseases)
1-Octanol	Tableaux des maladies professionnelles (TMP) - RG 84

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H360FD - May damage fertility. May damage the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

# SAFETY DATA SHEET

Aliquat® 336TG

Revision Date 09-Feb-2024

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

**Creation Date** 04-Jul-2017

**Revision Date** 09-Feb-2024

**Revision Summary** Not applicable.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**