

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 21-Nov-2011

Revision Date 20-Oct-2023

**Revision Number** 12

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier	
Product Description: Cat No. : Synonyms	Aqualine™ Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells) K/2510/08 Karl Fischer reagent
Unique Formula Identifier (UFI)	SWPK-X283-1X01-JXKW
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Recommended Use Uses advised against	Laboratory chemicals. No Information available
1.3. Details of the supplier of the sa	fety data sheet
Company	UK entity/business name   Fisher Scientific UK   Bishop Meadow Road, Loughborough,   Leicestershire LE11 5RG, United Kingdom   EU entity/business name   Thermo Fisher Scientific   Janssen Pharmaceuticalaan 3a   2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com
1.4. Emergency telephone number	Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887
Poison Centre - Emergency information services	Ireland : National Poisons Information Centre (NPIC) - 01 809 2166 (8am-10pm, 7 days a week) Malta : +356 2395 2000 Cyprus : +357 2240 5611

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

# **Physical hazards**

Flammable liquids

Category 2 (H225)

#### Health hazards

Acute oral toxicity Acute dermal toxicity Acute Inhalation Toxicity - Vapors Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Carcinogenicity Reproductive Toxicity Specific target organ toxicity - (single exposure)

Specific target organ toxicity - (repeated exposure)

<u>Environmental hazards</u> Based on available data, the classification criteria are not met Category 3 (H301) Category 3 (H311) Category 3 (H331) Category 1 B (H314) Category 1 (H318) Category 2 (H351) Category 2 (H361d) Category 1 (H370)

Category 1 (H372)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

- H314 Causes severe skin burns and eye damage
- H370 Causes damage to organs
- H351 Suspected of causing cancer
- H361d Suspected of damaging the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled

# **Precautionary Statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P280 - Wear protective gloves/protective clothing/eye protection/face protection

- P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor/physician

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

#### Additional EU labelling

For use in industrial installations only

# 2.3. Other hazards

# Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Methyl alcohol	67-56-1	200-659-6	45 - 55	Flam. Liq. 2 (H225) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370)
Chloroform	67-66-3	200-663-8	10 - 15	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H336) Carc. 2 (H351) Repr. 2 (H361d) STOT RE 1 (H372)
2-Amino-2-methyl-1-propanol	124-68-5	EEC No. 204-709-8	10 - 15	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)
2,4,6-Collidine	108-75-8	EEC No. 203-613-3	10 - 15	Flam Liq. 3 (H226) Acute Tox. 3 (H311) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)
Sulfur dioxide	7446-09-5	EEC No. 231-195-2	5 - 10	Acute Tox. 3 (H331) Skin Corr. 1B (H314) Eye Dam. 1 (H318)
lodine	7553-56-2	231-442-4	5 - 10	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT RE 1 (H372) Aquatic Acute 1 (H400)
p-Toluenesulfonic acid	104-15-4	EEC No. 203-180-0	0 - 1	Skin Corr. 1C (H314) Eye Dam. 1 (H318)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Methyl alcohol	STOT Single Exp. 1 :: >= 10 STOT Single Exp. 2 :: 3 - < 10	-	-
Chloroform	STOT RE 2 : C ≥ 5 %	-	-
lodine	-	1	-
p-Toluenesulfonic acid	STOT SE 3 (H335) :: C>=20%	-	-

Components	Reach Registration Number	
Methanol	01-2119433307-44	
Chloroform	01-2119486657-20	
2-Amino-2-methyl-1-propanol	01-2119475788-16	
Sulfur dioxide	01-2119485028-34	
lodine	01-2119485285-30	

Full text of Hazard Statements: see section 16

Revision Date 20-Oct-2023

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.
Inhalation	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated
4.3. Indication of any immediate me	dical attention and special treatment needed
Notes to Physician	Treat symptomatically. Symptoms may be delayed.

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

# Suitable Extinguishing Media

Use:. Carbon dioxide (CO2). Alcohol resistant foam. Powder. Water spray. Cool containers with flooding quantities of water until well after fire is out. Dike fire-control water for later disposal. Water mist may be used to cool closed containers. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

# Extinguishing media which must not be used for safety reasons

Water may be ineffective.

# 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

# **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx), Sulfur oxides, Hydrogen halides, Formaldehyde.

# 5.3. Advice for firefighters

# Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

# 7.3. Specific end use(s)

Use in laboratories

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

# Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

# **Exposure limits**

List source(s): EU - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. IRE - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Methyl alcohol	WEL - TWA: 200 ppm TWA;	TWA: 200 ppm 8 hr	TWA: 200 ppm 8 hr.
	266 mg/m <sup>3</sup> TWA	TWA: 260 mg/m <sup>3</sup> 8 hr	TWA: 260 mg/m <sup>3</sup> 8 hr.
	WEL - STEL: 250 ppm	Skin	STEL: 600 ppm 15 min
	STEL; 333 mg/m <sup>3</sup> STEL		STEL: 780 mg/m <sup>3</sup> 15 min
			Skin
Chloroform	TWA: 2 ppm	TWA: 2 ppm 8 hr	TWA: 2 ppm 8 hr.
	TWA: 9.9 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> 8 hr	TWA: 9.8 mg/m <sup>3</sup> 8 hr.
	STEL: 6 ppm	Possibility of significant	STEL: 6 ppm 15 min
	STEL: 29.7 mg/m <sup>3</sup>	uptake through the skin	STEL: 29.4 mg/m <sup>3</sup> 15 min
			Skin
Sulfur dioxide	STEL: 1 ppm 15 min	TWA: 1.3 mg/m <sup>3</sup> (15min)	TWA: 0.5 ppm 8 hr.
	STEL: 2.7 mg/m <sup>3</sup> 15 min	TWA: 0.5 ppm (15min)	TWA: 1.3 mg/m <sup>3</sup> 8 hr.
	TWA: 0.5 ppm 8 hr	STEL: 2.7 mg/m <sup>3</sup> (8h)	STEL: 2.7 mg/m <sup>3</sup> 15 min
	TWA: 1.3 mg/m <sup>3</sup> 8 hr	STEL: 1 ppm (8h)	STEL: 1 ppm 15 min
lodine	STEL: 0.1 ppm 15 min		TWA: 0.01 ppm 8 hr.
	STEL: 1.1 mg/m <sup>3</sup> 15 min		inhalable fraction and vapour
			TWA: 0.01 mg/m <sup>3</sup> 8 hr.
			STEL: 0.1 ppm 15 min

# **Biological limit values**

List source(s):

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL) See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Methyl alcohol		DNEL = 20mg/kg		DNEL = 20mg/kg
67-56-1(45 - 55)		bw/day		bw/day
Chloroform				DNEL = 0.94mg/kg
67-66-3(10-15)				bw/day
2-Amino-2-methyl-1-propanol				DNEL = 7.3mg/kg
124-68-5(10 - 15)				bw/day
lodine				DNEL = 0.01mg/kg
7553-56-2 ( 5 - 10 )				bw/day
p-Toluenesulfonic acid				DNEL = 7.6mg/kg
104-15-4(0 - 1)				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Methyl alcohol 67-56-1(45 - 55)	DNEL = 130mg/m <sup>3</sup>	DNEL = 130mg/m <sup>3</sup>	DNEL = 130mg/m <sup>3</sup>	DNEL = 130mg/m <sup>3</sup>
Chloroform 67-66-3(10 - 15)		DNEL = 333mg/m <sup>3</sup>	DNEL = 2.5mg/m <sup>3</sup>	DNEL = 2.5mg/m <sup>3</sup>
2-Amino-2-methyl-1-propanol 124-68-5 (10 - 15)				DNEL = 6.5mg/m <sup>3</sup>
Sulfur dioxide 7446-09-5(5 - 10)	DNEL = 2.7mg/m <sup>3</sup>		DNEL = 2.7mg/m <sup>3</sup>	
lodine 7553-56-2(5 - 10)				DNEL = 0.07mg/m <sup>3</sup>
p-Toluenesulfonic acid 104-15-4 (0 - 1)				DNEL = 53.6mg/m <sup>3</sup>

# Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Methyl alcohol	PNEC = 20.8mg/L	PNEC = 77mg/kg	PNEC = 1540mg/L	PNEC = 100mg/L	PNEC = 100mg/kg
67-56-1 (45 - 55)		sediment dw	-	-	soil dw
Chloroform	PNEC = 0.146mg/L	PNEC = 0.45mg/kg	PNEC = 0.133mg/L	PNEC = 0.048mg/L	PNEC = 0.56mg/kg
67-66-3 (10 - 15)	-	sediment dw	-	-	soil dw
2-Amino-2-methyl-1-propa	PNEC = 0.188mg/L	PNEC = 0.71mg/kg	PNEC = 1.88mg/L	PNEC = 10mg/L	PNEC = 0.03mg/kg
nol	-	sediment dw	-	-	soil dw
124-68-5 ( 10 - 15 )					
lodine	PNEC = 18.13µg/L	PNEC = 3.99mg/kg		PNEC = 11mg/L	PNEC = 5.95mg/kg
7553-56-2 (5 - 10)		sediment dw		-	soil dw
p-Toluenesulfonic acid	PNEC = 0.073mg/L	PNEC =	PNEC = 0.73mg/L	PNEC = 58mg/L	PNEC =
104-15-4 (0 - 1)		0.0577mg/kg			0.016mg/kg soil dw
		sediment dw			

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Methyl alcohol	PNEC = 2.08mg/L	PNEC = 7.7mg/kg			
67-56-1 (45 - 55)		sediment dw			
Chloroform	PNEC = 0.015mg/L	PNEC = 0.09mg/kg			
67-66-3 (10 - 15)		sediment dw			
2-Amino-2-methyl-1-propa	PNEC =	PNEC =			
nol	0.0188mg/L	0.071mg/kg			
124-68-5 ( 10 - 15 )		sediment dw			
Iodine	PNEC = 60.01µg/L	PNEC =			
7553-56-2 (5 - 10)		20.22mg/kg			
		sediment dw			
p-Toluenesulfonic acid	PNEC =	PNEC =			
104-15-4 ( 0 - 1 )	0.0073mg/L	0.00577mg/kg			
		sediment dw			

# 8.2. Exposure controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

# Personal protective equipment

Eye Protection	Goggles (European standard - EN 166)
Hand Protection	Protective gloves

Glove materia	Breakthrough time	Glove thickness	EU standard	Glove comments
Viton (R)	See manufacturers	-	EN 374	(minimum requirement)
	recommendations			

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> low boiling organic solvent Type AX Brown conforming to EN371
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. <b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Do not allow material to contaminate ground water system. Prevent product from entering drains.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits	No information available No data available No data available No data available No information available Highly flammable Not applicable No data available	On basis of test data Liquid
Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wate	10 °C / 50 °F No data available No data available No information available No data available Partially soluble No information available	Method - No information available
Component Methyl alcohol Chloroform 2-Amino-2-methyl-1-propanol lodine p-Toluenesulfonic acid Vapor Pressure Density / Specific Gravity Bulk Density Vapor Density Particle characteristics	log Pow -0.74 2 -0.63 2.49 0.784 No data available 1.16 Not applicable No data available No data available Not applicable (liquid)	Liquid (Air = 1.0)
9.2. Other information		
Explosive Properties	Vapors may form explosive mixtures with air	

Aqualine™ Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous react	ions
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	Strong oxidizing agents. Strong acids. Finely powdered metals. Strong reducing agents.

# 10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NOx). Sulfur oxides. Hydrogen halides. Formaldehyde.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Product Information

(a) acute toxicity;	
Oral	Category 3
Dermal	Category 3
Inhalation	Category 3

# Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L ( Rat ) 4 h
Chloroform	LD50 = 908 mg/kg (rat) LD50 = 695 mg/kg ( Rat ) LD50 = 450 mg/kg ( Rat )	LD50 > 20 g/kg (Rabbit)	LC50 = 10.5 mg/L(Rat)4 h
2-Amino-2-methyl-1-propanol	LD50 = 2900 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-
2,4,6-Collidine	400 mg/kg (Rat)	1000 mg/kg (Guinea Pig)	-
Sulfur dioxide	-	-	Per CGA P-20: 2500 ppm/1hr ( Rat)
lodine	315 mg/kg ( Rat )	1425 mg/kg(Rabbit)	4.588 mg/L 4h ( Rat )
p-Toluenesulfonic acid	LD50 = 1410 mg/kg(Rat)	-	-

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

#### (d) respiratory or skin sensitization;

RespiratoryNo data availableSkinNo data available

Component	Test method	Test species	Study result
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1(45 - 55)	Guinea Pig Maximisation Test (GPMT)		
Iodine	OECD Test Guideline 429	mouse	non-sensitising
7553-56-2 ( 5 - 10 )	Local Lymph Node Assay		_

# (e) germ cell mutagenicity; No data available

(f) carcinogenicity; Category 2

Contains a known or suspected carcinogen The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Chloroform				Group 2B

(g) reproductive toxicity;	Category 2		
Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation	NOAEC =
67-56-1 (45 - 55)		2 Generation	1.3 mg/l (air)

(h) STOT-single exposure; Category 1

**Results / Target organs** Optic nerve, Respiratory system, Central nervous system (CNS).

- (i) STOT-repeated exposure; Category 1
- Target Organs Thyroid, Liver, Kidney.
- (j) aspiration hazard; No data available

Other Adverse Effects The hazards associated with methanol may be seen in this product.

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, delayed Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

# 11.2. Information on other hazards

```
Endocrine Disrupting Properties
```

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

# Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

Component	Freshwater Fish	Water Flea	Freshwater Algae
Methyl alcohol	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 > 10000 mg/L 24h	
Chloroform	LC50: = 300 mg/L, 96h static (Poecilia reticulata) LC50: = 18 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 18 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 71 mg/L, 96h flow-through (Pimephales promelas)	EC50 = 28.9 mg/L/48h	EC50 = 560 mg/L/48h
2-Amino-2-methyl-1-propanol	LC50: = 190 mg/L, 96h static (Lepomis macrochirus)	EC50: = 193 mg/L, 48h (Daphnia magna)	EC50: = 520 mg/L, 72h (Desmodesmus subspicatus)
lodine	LC50 = 1.67 mg/L 96h	EC50 = 0.55 mg/L 48h	EC50 = 0.13 mg/L 72h
p-Toluenesulfonic acid			EC50 = 245 g/L 24h

Component	Microtox	M-Factor
Methyl alcohol	EC50 = 39000 mg/L 25 min	
	EC50 = 40000 mg/L 15 min	
	EC50 = 43000 mg/L 5 min	
Chloroform	Photobacterium phosphoreum: EC50 = 520 mg/L/5	
	min	
	Photobacterium phosphoreum: EC50 = 670	
	mg/L/15 min	
	Photobacterium phosphoreum: EC50 = 670	
	mg/L/30min	
2-Amino-2-methyl-1-propanol	EC50: = 342.9 mg/L, 3 h (Activated Sludge) OECD	
	209	
lodine	EC50 = 280 mg/L 3h	1

# **12.2. Persistence and degradability** No information available

Com	ponent	Degradability
Methy	lalcohol	DT50 ~ 17.2d
67-56-1	(45-55)	>94% after 20d
Degradation in sewage	Contains substances known to b	e hazardous to the environment or not degradable in waste
treatment plant	water treatment plants.	

## 12.3. Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Methyl alcohol	-0.74	<10 dimensionless
Chloroform	2	1.4 - 13 dimensionless
2-Amino-2-methyl-1-propanol	-0.63	<1 dimensionless
lodine	2.49	No data available
p-Toluenesulfonic acid	0.784	No data available

# 12.4. Mobility in soil

No information available .

No data available for assessment.

## 12.5. Results of PBT and vPvB assessment

12.6. Endocrine disrupting properties Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

# <u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

# **SECTION 14: TRANSPORT INFORMATION**

# IMDG/IMO

<u>14.1. UN number</u>	UN1992
14.2. UN proper shipping name	Flammable liquid, toxic, n.o.s.
Technical Shipping Name	Contains methanol, chloroform
14.3. Transport hazard class(es)	3
Subsidiary Hazard Class	6.1
14.4. Packing group	II

# ADR

14.1. UN number	UN1992
14.2. UN proper shipping name	Flammable liquid, toxic, n.o.s.
Technical Shipping Name	Contains methanol, chloroform
14.3. Transport hazard class(es)	3
Subsidiary Hazard Class	6.1
14.4. Packing group	II

# <u>IATA</u>

<u>14.1. UN number</u>	UN1992
14.2. UN proper shipping name	Flammable liquid, toxic, n.o.s.
Technical Shipping Name	Contains methanol, chloroform
14.3. Transport hazard class(es)	3
Subsidiary Hazard Class	6.1
14.4. Packing group	Π

# 14.5. Environmental hazards

No hazards identified

Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

# SECTION 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Methyl alcohol	67-56-1	200-659-6	-	-	Х	Х	KE-23193	Х	Х
Chloroform	67-66-3	200-663-8	-	-	Х	Х	Х	Х	Х
2-Amino-2-methyl-1-propanol	124-68-5	204-709-8	-	-	Х	Х	KE-01473	Х	Х
2,4,6-Collidine	108-75-8	203-613-3	-	-	Х	Х	-	Х	Х
Sulfur dioxide	7446-09-5	231-195-2	-	-	Х	Х	KE-32567	Х	Х
Iodine	7553-56-2	231-442-4	-	-	Х	Х	KE-21023	Х	-
p-Toluenesulfonic acid	104-15-4	203-180-0	-	-	Х	Х	KE-23476	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Methyl alcohol	67-56-1	X	ACTIVE	Х	-	Х	Х	Х
Chloroform	67-66-3	Х	ACTIVE	Х	-	Х	Х	Х
2-Amino-2-methyl-1-propanol	124-68-5	Х	ACTIVE	Х	-	Х	Х	Х
2,4,6-Collidine	108-75-8	Х	ACTIVE	Х	-	Х	Х	Х
Sulfur dioxide	7446-09-5	Х	ACTIVE	Х	-	Х	Х	Х
Iodine	7553-56-2	X	ACTIVE	Х	-	X	X	X
p-Toluenesulfonic acid	104-15-4	Х	ACTIVE	Х	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methyl alcohol	67-56-1	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Chloroform	67-66-3	-	Use restricted. See item 32. (see http://eur-lex.europa.eu/Le xUriServ/LexUriServ.do?ur i=CELEX:32006R1907:EN: NOT for restriction details)	
2-Amino-2-methyl-1-propanol	124-68-5	-	Use restricted. See item 75. (see link for restriction details)	-
2,4,6-Collidine	108-75-8	-	-	-
Sulfur dioxide	7446-09-5	-	Use restricted. See item	-

Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

			75. (see link for restriction details)	
lodine	7553-56-2	-	Use restricted. See item 75. (see link for restriction details)	-
p-Toluenesulfonic acid	104-15-4	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Methyl alcohol	67-56-1	500 tonne	5000 tonne
Chloroform	67-66-3	Not applicable	Not applicable
2-Amino-2-methyl-1-propano I	124-68-5	Not applicable	Not applicable
2,4,6-Collidine	108-75-8	Not applicable	Not applicable
Sulfur dioxide	7446-09-5	Not applicable	Not applicable
lodine	7553-56-2	Not applicable	Not applicable
p-Toluenesulfonic acid	104-15-4	Not applicable	Not applicable

# Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Component	ANNEX I - PART 1 List of chemicals subject to export notification procedure (referred to in Article 8)	ANNEX I - PART 2 List of chemicals qualifying for PIC notification (referred to in Article 11)	ANNEX I - PART 3 List of chemicals subject to the PIC procedure (referred to in Articles 13 and 14)
Chloroform 67-66-3(10 - 15)	b — ban (for the category or categories concerned)	-	-
	b — ban (for the category or categories concerned)		
	i(2) — industrial chemical for public		

https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32012R0649&qid=1604065742303.

# Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

# Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

# Revision Date 20-Oct-2023

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Methyl alcohol	WGK 2	Class I : 20 mg/m <sup>3</sup> (Massenkonzentration)
Chloroform	WGK 3	Class I : 20 mg/m <sup>3</sup> (Massenkonzentration)
2-Amino-2-methyl-1-propanol	WGK1	
Sulfur dioxide	WGK1	
lodine	WGK2	
p-Toluenesulfonic acid	WGK1	

Component	France - INRS (Tables of occupational diseases)
Methyl alcohol	Tableaux des maladies professionnelles (TMP) - RG 84
Chloroform	Tableaux des maladies professionnelles (TMP) - RG 12

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Methyl alcohol 67-56-1 (45 - 55)	Prohibited and Restricted Substances	Group I	
Chloroform 67-66-3 (10 - 15 )	Prohibited and Restricted Substances		Annex I - industrial chemical
lodine 7553-56-2(5 - 10)	Prohibited and Restricted Substances		
p-Toluenesulfonic acid 104-15-4(0 - 1)	Prohibited and Restricted Substances		

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

# **SECTION 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

- H301 Toxic if swallowed
- H311 Toxic in contact with skin
- H331 Toxic if inhaled
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H370 Causes damage to organs
- H351 Suspected of causing cancer
- H361d Suspected of damaging the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H225 Highly flammable liquid and vapor
- H226 Flammable liquid and vapor
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H400 Very toxic to aquatic life
- H412 Harmful to aquatic life with long lasting effects

Legend

# Aqualine<sup>™</sup> Electrolyte AD (Anolyte for use in fritless (diaphragm free) cells)

CAS - Chemical Abstracts Service	<b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances	I DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances	AICS - Australian Inventory of Chemical Substances
<b>KECL</b> - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit	TWA - Time Weighted Average
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer
DNEL - Derived No Effect Level	Predicted No Effect Concentration (PNEC)
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water
<b>PBT</b> - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of	ICAO/IATA - International Civil Aviation Organization/International Air
Dangerous Goods by Road	Transport Association
IMO/IMDG - International Maritime Organization/International Maritime	MARPOL - International Convention for the Prevention of Pollution from
Dangerous Goods Code	Ships
OECD - Organisation for Economic Co-operation and Development	ATE - Acute Toxicity Estimate
BCF - Bioconcentration factor	VOC - (Volatile Organic Compound)
Key literature references and sources for data	
https://echa.europa.eu/information-on-chemicals	
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, F	RTECS
Classification and procedure used to derive the classification	on for mixtures according to Regulation (EC) 1272/2008 [CLP]:

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation methodEnvironmental hazardsCalculation method

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Creation Date	21-Nov-2011
Revision Date	20-Oct-2023
Revision Summary	Not applicable.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**